IPAC-Canada Conference 2019

Yves Longtin – The Many Ways to Involve Patients in Hand Hygiene





The Many Ways to Involve Patients in Hand Hygiene Outline

Objectives:

-Provide an overview of different ways to involve patients in hand hygiene

-Effectiveness



-Provide tips and ideas



Studies Reviewed:

1. WHO guideline on HH in Health Care (Geneva Model)

2. Stewardson A et al. Patient Participation in HH: a Global Survey of Current Practices. ICAAC 2013

3. Knighton S et al. Am J Infect Control. 2017 Jun 1;45(6):626-629.

Patient ABHRS preference

Table 2

Demographic data, including age, hand grip strength, mobility, and product preference for participants in acute-care versus long-term care

Demographic data point	Acute care (n = 42)	Long-term care (n = 46)	Total (N = 88)
Age range, y	42-98	31-97	31-98
Mean age, y	65.4	68.3	66.92
Mobility			
Ambulatory	21 (50)	15 (32.6)	36 (40.9)
Chair fast	11 (26.2)	16(34.8)	27 (30.7)
Bedbound	10(23.8)	15 (32.6)	25 (28.4)
Mean hand grip strength, kg Product preference	48.8 ± 14.6	47.2 ± 12.6	48 ± 13.5
Pushdown hand sanitizer	41 (97.6)	45 (97.8)	86 (97.7)
Pocket-size hand sanitizer	1(2.4)	1 (2.2)	2(2.3)
Alcohol-impregnated wipes	0	0	0

NOTE. Values for mobility and product preference are presented as n (%), whereas hand grip strength values are presented as mean \pm standard deviation.



The Many Ways to Involve Patients in Hand Hygiene

Studies Reviewed cont.

-Promoted patient education of HH and to improve HH compliance of HCWs

-Enhanced performance feedback

Patient indications for hand hygiene

- 1. Before and after eating
- 2. After going to the toilet
- 3. After blowing your nose
- 4. When you leave and return to your space





Canadian Guidance

-Patient Safety Institutes – Engaging Patient in Patient Safety

- Accreditation Standards

Accreditation Canada Standards – infection prevention and control

- 6.0 The organization engages clients and families in infection prevention and control practices.
 - 6.1 The organization provides clients and families with information about routine practices and additional precautions as appropriate in a format that is easy to understand.
 - 6.2 The organization provides client, families and visitors with access to hand hygiene resources and PPE based on risk of transmission of microorganisms.
- 14.3 The organization seeks input from staff, services providers, volunteers, and clients and families on components of the IPAC program.
 - Surveys, focus groups, interviews, meetings, etc.
- 14.5 The organization shares evaluation results with staff, service providers, volunteers, clients, and families.



The Many Ways to Involve Patients in Hand Hygiene

-Mobilizing patients to evaluate their quality of care


- decrease medical errors
- HCW hand hygiene compliance

JOH " BE A PARTNER IN	NS HOPKINS	Be a partner in your health care!
Clinic		Our goal is to provide you with safe, high quality healthcare. We welcome any additiona comments or suggestions.
Healthcare Worker "Engaging the	Performed hand hygiene patient to report on	nurell helps to prevent the spread of corms
^{Worker} "Engaging the be efficient ar	hand hygiene e patient to report on nd acceptable to patie	➤ Using scap & water or alcohol rubs (such as nure!!) beins to prevent the spread of accurs hand hygiene compliance was found to ents and providers, and the results of ive of actual provider behavior."

The card is issued to the patient at check-in. The patient receives a small pencil to complete the card and places the card in a yellow dro κ on leaving the clinical practice.



The Many Ways to Involve Patients in Hand Hygiene







END SLIDE

For more information, visit *saskhealthauthority.ca*

